




Full MINERvA Begins!

Gabriel N. Perdue The University of Rochester 2010.March.29




Final plane module installed March 15, 2010!



MINERVA



- We will expect everyone to start remembering this sort of introduction soon, but here it is one more time...
- Low energy (few GeV) neutrino scattering experiment.
- Fine grained, fully active tracker region with downstream and side ("barrel-like") calorimeters.
- Will provide useful cross section data to oscillation experiments (MINOS, NOvA, T2K, LBNE) and study nuclear physics with a pure Weak probe (e.g. nucleon axial formfactor as a function of Q², nuclear modification of structure functions with a neutrino probe).






From April 6, 2009, FNAL AEM...



Our cluster of advanced (coffee-drinking) neural nets has even identified some probable neutrino interactions!


> This was MINERVA'S *first* neutrino event candidate!





Things look much more convincing now!












- *We can't claim total victory yet: our Veto Wall, Helium Cryo-target, and Water Nuclear Target are not installed.
- But, we have installed and instrumented 120/120 of our modules!
- Full detector integration into readout took place March 18.
- 24/7 operation of the detector carried over directly from anti-neutrino run with the "Frozen Detector" (64 module stack-up installed by November of last year).








Veto Wall, Water Target, and Helium Target still to be installed. Everything else is in!



MINOS kindly functions as our muon spectrometer.







Avg Qhi for Strip (y) vs Module (x)


Inner Detector


Strip Number

Only 10 dead pixels in our inner detector!

(Large blank spaces are software mapping errors or un-instrumented regions.)

run 1346 subrun 2 03/22/2010 owl shift






Gabriel N. Perdue
The University of Rochester

Fermilab AEM 2010.March.29








Outer Detector

Bar Number

45
40
35
30
25
10
5
Module Number (Discriminator did NOT fire)

Only 5 dead pixels in our outer detector!






Gabriel N. Perdue
The University of Rochester

Fermilab AEM 2010.March.29



Full Physics Program Underway





Thin Pb target also serves to insure good photon detection efficiency

Nuclear Targets (only Water & Helium Targets are missing).



Full Physics Program Underway



Iron/Lead

Lead/Iron

Lead/Iron Graphite

Lead

Iron/Lead



3/15

3/10

3/08

2/19

2/16

Nuclear Targets (only Water & Helium Targets are missing).






Calibration & Analysis

- HV tuning (iterative light injection) is complete for the full detector and all Front End Board (FEB) electronics calibrations are finished, so we have an absolute photo-electron calibration.
- Measurement of attenuation parameters of every strip is available from our radioactive source mapping program.
- Next steps: use our rock muon sample from anti-neutrino beam to measure in-situ timing offsets, detector alignment, relative response, and PMT cross-talk.
- We are planning a first full production pass for our Frozen Detector (anti-nu) data in two weeks!










(Subset of the Frozen Detector: Each "square" is 5 modules)










13



Tracking: dE/dx provides successful disambiguation!









We would like to offer a special thanks to everyone at the lab who has supported us in this very demanding endeavor!





Thanks for Listening!